

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	2004/01120406	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 10:00
L2	0	"200401120406"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 10:00
L3	0	"200401120406"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 10:00
L4	1	"20040120406"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 10:00
L5	22	375/295-315.ccls. and (transmitter with ((quad four fourth multi multiple plural plurality) near3 clock\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 10:45
S1	634	"324"/\$.ccls. and jitter	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 09:28
S2	2097	375/354-376.ccls. and jitter	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 10:25
S3	19	324/620-626.ccls. and jitter	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 09:25
S4	110	"324"/\$.ccls. and (jitter near3 (reduc\$3 decreas\$3 lower eliminate cleanup clean))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 09:55
S5	38	"324"/\$.ccls. and (jitter near3 (reduc\$3 decreas\$3 lower eliminate cleanup clean)) and (network (communication\$1 adj2 system))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 14:37
S6	3	"324"/\$.ccls. and ((jitter near3 (reduc\$3 decreas\$3 lower eliminate cleanup clean)) same (transmit transmitter)) and (network (communication\$1 adj2 system))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 09:52

S7	83	"324"/\$.ccls. and (jitter near3 (reduc\$3 decreas\$3 lower eliminate cleanup clean))	USPAT	OR	OFF	2005/01/24 09:55
S8	7	("3558933" "4797586" "5175454" "5191234" "5534808" "5572159" "5777501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 10:03
S9	36	375/354-376.ccls. and ((jitter near3 (reduc\$3 decreas\$3 lower eliminate cleanup clean)) same (transmit transmitter)) and (network (communication\$1 adj2 system))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 10:26
S11	13	"324"/\$.ccls. and (transceiver\$1 and jitter)	USPAT	OR	OFF	2005/01/24 14:24
S12	15	"324"/\$.ccls. and (transceiver\$1 and jitter)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 14:39
S13	4	("4164648" "5663991" "5793822" "6295315").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 14:29
S14	0	324/622 and tranceiver	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 14:48
S15	0	324/622 and transceiver	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 14:48
S16	633	(transceiver\$1 near3 (dual two twin1 double second plurality many)) and jitter	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 14:52
S17	177	S16 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 14:54
S18	882	375/354.ccls.	USPAT	OR	OFF	2005/01/24 14:54
S19	15	S17 and (signal near3 integrity)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:01
S20	18	S16 and ((test determin\$3 determination) near3 (integrity))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:15

S21	1	transceiver same ((test determin\$3 determination) near3 (signal adj integrity))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:20
S22	16	transceiver and ((test determin\$3 determination) near3 (signal adj integrity))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:20
S23	15	S22 not S21	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:45
S24	1058	transceiver and ("loop-back" (loop adj back))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:50
S25	218	transceiver same ("loop-back" (loop adj back))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 16:50
S26	2	S25 and (jitter near3 (reduc\$3 decreas\$3 lower eliminate cleanup clean))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 17:13
S27	3	324/620-626.ccls. and transceiver	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 17:24
S28	8	transceiver and ((data adj processor) with integrity)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 18:25
S29	18	"375"/\$.ccls. and transceiver and ((processor computer CPU) with integrity)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/24 18:25
S30	730	((data adj processor) computer CPU) with (test adj signal)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 11:08
S31	64	S30 and transceiver\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 11:33
S32	2	("5056118" "5539785").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 11:33

S33	4112	(determin\$3 test determination compare) with ((path signal signals) near3 (integrity status))	USPAT	OR	OFF	2005/01/25 14:58
S34	554	((determin\$3 test determination compare) with ((path signal signals) near3 (integrity status))) same (transmitter transmit transceiver)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 14:59
S35	14	S34 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 15:39
S36	1	"4638473".PN.	USPAT; USOCR	OR	OFF	2005/01/25 15:19
S37	37	S34 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 16:33
S38	11	375/226.ccls. and transceiver	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 17:25
S39	156	375/224-225.ccls. and transceiver	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 17:25
S40	155	S39 not S38	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 17:25
S41	15	S40 and jitter	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 18:36
S42	21	375/295-315.ccls. and (transmitter with ((quad four fourth multi multiple plural plurality) near3 clock\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 18:37
S43	0	S42 and deserializer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/25 18:37
S44	5	375/295-315.ccls. and deserializer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 08:31
S45	1	"6823001".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 08:28

S46	15	375/295-315.ccls. and serializer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 08:31
S47	15	375/295-315.ccls. and (serializer or deserializer)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 12:15
S48	21	375/295-315.ccls. and (transmitter with ((quad four fourth multi multiple plural plurality) near3 clock\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 09:42
S49	65	(transmit transmitter) same ((phase adj detector) PLL "phased lock\$2 loop") same (serializer de-serializer deserializer) same clock	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 11:47
S50	869	(interface with (switch adj fabric)) and communication\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 11:48
S51	1	S50 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 11:49
S52	1	"6823483".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 12:16
S53	150	communication and network and xau	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 12:59
S54	4254	communication and network and "IEEE 1394"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 12:58
S55	2920	communication and network and (interface same "IEEE 1394")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 12:59
S56	121	communication and network and (interface same xau)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:00
S57	8679	communication and network and (interface same PCI)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:01

S58	161	communication and network and (processor same "IEEE 802.3")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:01
S59	8	communication and network and (processor same "ITU-T G.709")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:02
S60	8	communication and network and (processor same "ITU-T G.975")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:02
S62	4	S58 and S59 and S60	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:15
S63	2	S55 and S56 and S57	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 13:18
S64	21	(network) and (tranceiver) and (data adj processor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 14:38
S65	1	"6449576".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 14:51
S66	1	"6535567".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 16:29
S67	1	"20040100335"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 16:30
S68	1	"20040042578"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 16:41
S69	17	("20010053161" "20020080830" "20020126690" "4728194" "4959617" "4967150" "5151624" "5173659" "5432480" "5734675" "6222895" "6292485" "6304622" "6347128" "6389090" "6392457" "6392495").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 16:54
S70	1	"20030185325"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 17:42

S71	1	("20030185325")	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 17:52
S72	625	(test testing) same (transceiver\$1 with communication\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 17:53
S73	75	S72 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 18:36
S74	1	"20040120406"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/26 18:37
S75	1	"5815298".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 08:42
S76	1	S75 and (test testing) same (transceiver\$1 with communication\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 09:18
S77	1	"20030185325"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 09:25
S78	1	"20040120406"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 10:06
S79	1	"6535567".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 10:48
S80	1	"20030185325"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 11:20
S81	1	"20040100335".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 11:43
S82	1	"6823483".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 11:56

S83	1	"20040120406"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 13:42
S84	14709	((proximity distance) adj sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 13:44
S85	19	("3619805" "4186792" "4417208" "4563643" "4604251" "4843259" "5126664" "5180978" "5504425" "5742161" "5854553" "6211667" "6288536" "6335619" "6346807" "6433541" "6462536" "6566862").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 15:13
S86	233	"703"/\$.ccls. and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 15:27
S87	39	"703"/4.ccls. and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 15:17
S88	28	"703"/4.ccls. and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 15:17
S89	224	S86 and (measur\$4 determin\$4 estimat\$3 estimation)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 15:30
S90	43	S86 and ((measur\$4 determin\$4 estimat\$3 estimation) with transformer)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 16:01
S91	8	(signal with frequency) and S90	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/27 16:02
S92	21	((transmitter\$1 transducer\$1) with jitter near3 reduc\$5) and ((clock\$3) with jitter near3 reduc\$5)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/23 08:53
S93	1	10/659216	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/23 09:29
S94	9	("20030185325" "20040100335" "20040120406" "5815298" "6449576" "6535567" "6539051" "6823001" "6823483").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/23 12:03

S95	1	"6801592".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/23 15:50
S96	1	"5815298".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/23 15:50